



国家防爆

Electrical Apparatus for Explosive Atmospheres

CERTIFICATE OF CONFORMITY

Cer. No.: CNEx13.3271X

Manufacturer COOPER MEDC LIMITED
(Address: Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG 17 5FB, United Kindom)

Name of Product STATUS LAMP

Type of Product SL5/5 ≤48VDC ≤260VAC

Marking Ex e IIC T3 Gb -40°C ≤Tamb ≤+55°C Filament Lamp Type
Ex e mb IIC T4 Gb -40°C ≤Tamb ≤+45°C LED Lamp Type
Ex e mb IIC T4 Gb -40°C ≤Tamb ≤+55°C Xenon Lamp Type

Standard _____

Drawing No. 230-239

The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

- GB3836.1-2010 Explosive atmospheres Part 1: Equipment-General requirements
- GB3836.3-2010 Explosive atmospheres Part 3: Equipment protection by increased safety "e"
- GB3836.9-2006 Electrical apparatus for explosive gas atmospheres Part 9: Encapsulation "m"

Note See Annex.

Valid Date From Sep 29, 2013 to Sep 28, 2018

Issue Date Sep 29, 2013

Director



CHINA NATIONAL QUALITY SUPERVISION AND TEST CENTRE FOR EXPLOSION PROTECTED ELECTRICAL PRODUCTS

Address: No.20 North Zhongjing Rd, Nanyang, Henan(473008), P.R.China
Tel: 0377-63258564 Fax: 0377-63208175 Http://www.china-ex.com



Note: This certificate is only valid for the products which identify with the sample(s) tested and verified. Holder(s) of this certificate have the responsibility to ensure the products complying with relevant standard(s).

登陆网站 输入数码 查询真伪 7346 8491 7407 9722 查询方式: www.china-ex.com



国家防爆

Electrical Apparatus for Explosive Atmospheres

CERTIFICATE OF CONFORMITY

Cer. No.: CNEx13.3271X

1. The product has been approved by EECS. Certificate no : BAS02ATEX2105X.
2. The Certificate is valid for following type products:
 - a. SL5/1, SL5/2, SL5/3, SL5/3, SL5/4, SL5/5, 24VDC, 48VDC,
 Ex e IIC T3 Gb -40°C ≤Tamb ≤+55°C Filament Lamp Type
 Ex e mb IIC T4 Gb -40°C ≤Tamb ≤+45°C LED Lamp Type
 Ex e mb IIC T4 Gb -40°C ≤Tamb ≤+55°C Xenon Lamp Type
 Service ambient temperature: -35°C ~+45°C
 - b. SL5/1, SL5/2, SL5/3, SL5/4, SL5/5, 12VDC, 24VDC, 48VDC, 110VAC, 220VAC, 240VAC, 254VAC, 260VAC,
 Ex e IIC T3 Gb -40°C ≤Tamb ≤+55°C Filament Lamp Type
 Ex e mb IIC T4 Gb -40°C ≤Tamb ≤+45°C LED Lamp Type
 Ex e mb IIC T4 Gb -40°C ≤Tamb ≤+55°C Xenon Lamp Type,
 Service ambient temperature: -35°C ~+55°C
 - c. Certified Ex cable entries suitable for the operation atmospheres shall be fitted when the products are put into service.

Valid Date From Sep 29, 2013 to Sep 28, 2018

Issue Date Sep 29, 2013

Director



CHINA NATIONAL QUALITY SUPERVISION AND TEST CENTRE
FOR EXPLOSION PROTECTED ELECTRICAL PRODUCTS

Address: No.20 North Zhongjing Rd, Nanyang, Henan(473008), P.R.China
Tel: 0377-63258564 Fax: 0377-63208175 Http://www.china-ex.com



Note: This certificate is only valid for the products which identify with the sample(s) tested and verified. Holder(s) of this certificate have the responsibility to ensure the products complying with relevant standard(s).