



国家防爆

Electrical Apparatus for Explosive Atmospheres

# CERTIFICATE OF CONFORMITY

Cer. No.: CNEx14.2518X

**Manufacturer** Eaton MEDC Ltd  
(Address: Unit B, Sutton Parkway, Oddicroft Lane, Sutton-in-Ashfield, NG 17 5FB, United Kindom)

**Name of Product** Loudspeaker

**Type of Product** DB4B G

**Marking** Ex d IIC T4/T5/T6 Gb

**Standard** \_\_\_\_\_

**Drawing No.** 399-101

The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

GB3836.1-2010 Explosive atmospheres Part 1: Equipment-General requirements

GB3836.2-2010 Explosive Atmospheres Part 2: Equipment protection by flameproof enclosures "d"

**Note** See Annex.

**Valid Date** From December 28, 2016 to September 14, 2019

**Issue Date** December 28, 2016

**Director**



**CHINA NATIONAL QUALITY SUPERVISION AND TEST CENTRE FOR EXPLOSION PROTECTED ELECTRICAL PRODUCTS**

Address: No.20 North Zhongjing Rd, Nanyang, Henan(473008), P.R.China

Tel: 0377-63258564 Fax: 0377-63208175 Http://www.china-ex.com

Note: This certificate is only valid for the products which identify with the sample(s) tested and verified. Holder(s) of this certificate have the responsibility to ensure the products complying with relevant standard(s).

登陆网站 输入数码 查询真伪 7536 6183 6458 8039 查询方式: www.china-ex.com



国家防爆

Electrical Apparatus for Explosive Atmospheres

# CERTIFICATE OF CONFORMITY

Cer. No.: CNEx14.2518X

1. The product has been certified according to ATEX.  
Certificate no: Baseefa13ATEX 0229X
2. This certification is updated version due to the name change of the manufacturer.
3. The related information of this product are as follows:

| Type   | Maximum Rated voltage | Watts | Temperature Classification | Ambient Temperature Range |
|--------|-----------------------|-------|----------------------------|---------------------------|
| DB4B G | 100V                  | 25    | T4                         | -55°C to + 55°C           |
|        |                       |       | T5                         | -55°C to + 40°C           |
|        |                       | 15    | T4                         | -55°C to + 65°C           |
|        |                       |       | T5                         | -55°C to + 55°C           |
|        |                       |       | T6                         | -55°C to + 40°C           |
|        |                       | 8     | T4                         | -55°C to + 70°C           |
|        |                       |       | T5                         | -55°C to + 55°C           |
|        |                       |       | T6                         | -55°C to + 40°C           |

4. For replacement purposes the cover fixing screws shall be of stainless steel grade A2-70 or stronger.
5. Painting and surface finishes, other than those applied by the manufacturer, are not permitted.

Issue Date December 28, 2016

Director



CHINA NATIONAL QUALITY SUPERVISION AND TEST CENTRE FOR EXPLOSION PROTECTED ELECTRICAL PRODUCTS

Address: No.20 North Zhongjing Rd, Nanyang, Henan(473008), P.R.China

Tel: 0377-63258564 Fax: 0377-63208175 Http://www.china-ex.com

Note: This certificate is only valid for the products which identify with the sample(s) tested and verified. Holder(s) of this certificate have the responsibility to ensure the products complying with relevant standard(s).