



- 1/ TYPE SL5 Exe STATUS LAMP
- 2/ CERTIFICATION DETAILS  
 ATEX: Baseefa02ATEX2108X, Ex II 2 G  
 IECEX: IECEX BAS 11.0105X  
 FILAMENT Ex e IIC T3 Gb (-40°C to +55°C)  
 XENON Ex e mb IIC T4 Gb (-40°C to +55°C)  
 LED Ex e mb IIC T4 Gb (-40°C to +45°C)
- 3/ WEIGHT 1.2kg ±0.2 PER WAY
- 4/ MATERIAL :- (ENCLOSURE) BLACK GLASS FILLED POLYESTER.  
 (LENS) POLYCARBONATE GRADE 2803
- 5/ CERTIFICATION LABEL LETTER SIZE 3mm MAX.
- 6/ TAG LABEL LETTER SIZE 5mm MAX.
- 7/ TERMINALS SUITABLE FOR UPTO 4mm SQ CABLE AS STANDARD.
- 8/ CABLE ENTRIES AVAILABLE TOP AND BOTTOM. (POSITIONS 1,2,3,7,8 & 9)  
 MAXIMUM NUMBER OF ENTRIES:  
 2 OFF EACH FACE UPTO M25.  
 1 OFF EACH FACE UPTO M32.

**CURRENT  
PRODUCTION COPY**

<b>MEDC</b>	MEDC Ltd, Colliery Road, Pinxton, Nottingham NG16 6JF, U.K. Tel: +44 (0)1773 864100 fax: +44 (0)1773 582800 e-mail: info@medc.com web: www.medc.com	DESIGNERS & MANUFACTURERS OF ELECTRICAL & ELECTRONIC EQUIPMENT & SYSTEMS FOR HAZARDOUS AREAS

ISSUES	ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED	THIS DRAWING IS CONFIDENTIAL AND IS THE PROPERTY OF MEDC AND MUST NOT BE REPRODUCED EITHER WHOLLY OR PARTLY. ALL RIGHTS IN RESPECT OF PATENTS, DESIGNS AND COPYRIGHT ARE RESERVED.	DRAWN BY: D. WARREN	DATE: 17-01-13	TITLE CUSTOMER G.A. SL5 (SINGLE) STATUS LIGHT ATEX / IECEX
	REMOVE ALL BURRS AND SHARP EDGES		CHECKED BY: W. BOARDMAN	DATE: 17-01-13	
	MACHINE SYMBOLS THUS  μm		APPROVED BY: M. SWINDELL	DATE: 17-01-13	
			SCALE: 1-2	SIZE A3	DRG No. 230-418