



1/ TYPE SL5 Exe STATUS LAMP (3 WAY VERSION)

2/ CERTIFICATION DETAILS

ATEX: Baseefa02ATEX2108X, Ex II 2 G  
IECEX: IECEX BAS 11.0105X

FILAMENT Ex e IIC T3 Gb (-40°C to +55°C)  
XENON Ex e mb IIC T4 Gb (-40°C to +55°C)  
LED Ex e mb IIC T4 Gb (-40°C to +45°C)

3/ WEIGHT 1.2kg ±0.2 PER WAY

4/ MATERIAL :- (ENCLOSURE) BLACK GLASS FILLED POLYESTER.  
(LENS) POLYCARBONATE GRADE 2803

5/ CERTIFICATION LABEL LETTER SIZE 3mm MAX.

6/ TAG LABEL LETTER SIZE 5mm MAX.

7/ TERMINALS SUITABLE FOR UPTO 4mm SQ CABLE AS STANDARD.

8/ CABLE ENTRIES AVAILABLE TOP AND BOTTOM. (POSITIONS 1,2,3,7,8 & 9)  
MAXIMUM NUMBER OF ENTRIES:

2 OFF EACH FACE UPTO M25.  
1 OFF EACH FACE UPTO M32.

**CURRENT  
PRODUCTION COPY**



Cooper MEDC Ltd, Unit B, Sutton Parkway,  
Oddcroft Lane, Sutton-in-Ashfield,  
Nottinghamshire, NG17 5FB, U.K.  
Tel: +44 (0) 1623 444400  
web: www.coopermedc.com

DESIGNERS & MANUFACTURERS  
OF ELECTRICAL & ELECTRONIC  
EQUIPMENT & SYSTEMS FOR  
HAZARDOUS AREAS

ISSUES

B.18-01-13.DW

ALL DIMENSIONS ARE  
IN MILLIMETRES UNLESS  
OTHERWISE STATED

REMOVE ALL BURRS  
AND SHARP EDGES

MACHINE  
SYMBOLS THUS μm

THIS DRAWING IS CONFIDENTIAL  
AND IS THE PROPERTY OF MEDC  
AND MUST NOT BE REPRODUCED  
EITHER WHOLLY OR PARTLY.  
ALL RIGHTS IN RESPECT OF  
PATENTS, DESIGNS AND  
COPYRIGHT ARE RESERVED.

DRAWN BY:  
S. OATES

DATE:  
22-05-03

CHECKED BY:  
J. PLUMB

DATE:  
22-05-03

APPROVED BY:  
B. TAYLOR

DATE:  
22-05-03

SCALE:  
1-2

SIZE  
**A3**

TITLE  
CUSTOMER G.A. SL5 (3 WAY)  
STATUS LIGHT

DRG No. 230-303

ISSUE  
B